


# TEST REPORT

**APPLICANT** : CSP INC  
**ADDRESS** : 8248 W. ORANGE DR GLENDALE, AZ 85303 USA  
**SAMPLE DESCRIPTION** : ANIMAL HAT  
**STYLE / ITEM NO.** : K12-407  
**BUYER** : KIDS' KORNER  
**AGE REQUESTED ON APPLICATION FORM** : 3+  
**LABELED AGE GRADE** : NOT PRESENT  
**AGE GRADE APPLIED IN TESTING** : OVER 3 YEARS  
**SAMPLE RECEIVED DATE** : APR. 18, 2014; APR. 29, 2014  
**TEST PERIOD** : APR. 19, 2014 TO MAY 04, 2014  
**RESULT SUMMARY** :

TEST REQUESTED	RESULT
- In accordance with ASTM F963-11 Standard Consumer Safety Specification for Toy Safety:	-
Physical and Mechanical Test	PASS
Flammability Test	PASS
Total Lead Content and Migration of Certain Elements Test	PASS
- Total Lead Content according to US Consumer Product Safety Improvement Act 2008 (CPSIA).	PASS

\*\*\*\*\*FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)\*\*\*\*\*

SIGNED FOR AND ON BEHALF OF  
EUROFINS TESTING TECHNOLOGY (SHENZHEN) CO. LTD.



Fung Zhang  
Toys Testing Engineer



Harry Chen  
Inorganic Team Supervisor



Coco Luo  
Organic Team Supervisor



This test report is valid for the tested samples only. Without permission of the test center this test report is not permitted to be duplicated in extracts.  
This test report does not entitle to carry any safety mark on this or similar products.

**ASTM F963-11, Standard Consumer Safety Specification for Toy Safety**

Section	Requirement	Result
4	Safety Requirements	
4.1	Material Quality	P
4.2	Flammability	P
4.3	Toxicology	
4.3.1	Hazardous Substances	N/A
4.3.2	Manufacturing and Packaging of Food	N/A
4.3.3	Indirect Food Additives	N/A
4.3.4	Cosmetics	N/A
4.3.5	Total Lead Content and Migration of Certain Elements (See data table for detailed results.)	P
4.3.6	Cosmetics, Liquids, Pastes, Putties, Gels, and Powders	N/A
4.3.7	Stuffing Materials(Visual Inspection)	P
4.3.8	DEHP(DOP)	N/A
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-Producing Toys	N/A
4.6	Small Objects	N/A
4.7	Accessible Edges	P
4.8	Projections	N/A
4.9	Accessible Points	P
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hings	
4.13.1	Folding Mechanisms	N/A
4.13.2	Hing-Line Clearance	N/A
4.14	Cords, Straps, and Elastics	
4.14.1	Cords, Straps, and Elastics in Toys	N/A
4.14.2	Self Retracting Pull Cords	N/A

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co. Ltd.**

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China

Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)

Section	Requirement	Result
4.14.3	Pull Toys	N/A
4.14.4	Strings and Lines for Flying Devices	N/A
4.14.5	Cords on Toy Bags Intended for Children Up to 18 Months	N/A
4.15	Stability and Over-Load Requirements	
4.15.1	Stability of Ride-On Toys and Toy Seats	N/A
4.15.2	Sideways Stability Requirements	N/A
4.15.3	Fore and Aft Stability	N/A
4.15.4	Stability of Stationary Floor Toys	N/A
4.15.5	Overload Requirements for Ride-On Toys and Toy Seats	N/A
4.15.6	Wheeled Ride-On Toys	N/A
4.16	Confined Spaces	
4.16.1	Ventilation	N/A
4.16.2	Closures	N/A
4.16.3	Toys that Enclose the Head	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearance, and Accessibility of Mechanisms	
4.18.1	Accessible Clearances for Moveable Segments	N/A
4.18.2	Circular Holes in Rigid Materials	N/A
4.18.3	Chains and Belts	N/A
4.18.4	Inaccessibility of Mechanisms	N/A
4.18.5	Winding Keys	N/A
4.18.6	Coil Springs	N/A
4.19	Simulated Protective Devices(such as helmets, hats, and goggles)	N/A
4.20	Pacifiers	N/A
4.20.1	Pacifiers Nitrosamine Content	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co. Ltd.**

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China  
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)

Section	Requirement	Result
4.25	Battery-Operated Toys	N/A
4.25.10	Battery-Powered Ride-On Toys	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	P
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials (Label review only)	N/A
4.29.1	Art Materials Toxic	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys with Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
5	Labeling Requirements	
5.2	Age Grading Labeling	N/A
5.3	Safety Labeling Requirements	N/A
5.4	Aquatic Toys	N/A
5.5	Crib and Playpen Toys	N/A
5.6	Mobiles	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled By and Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges or Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	N/A
5.12	Toy Caps	N/A

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co. Ltd.**

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China

Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)

Section	Requirement	Result
5.13	Art Materials	N/A
5.14	Electric Toys	N/A
5.15	Battery-Operated Toys	N/A
5.16	Promotional Materials	N/A
5.17	Magnets	N/A
6	Instructional Literature	
6.1	Definition and Description	N/A
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled By a Adult	N/A
6.5	Battery-Operated Toys	N/A
6.6	Toys in Contact with Food	N/A
7	Producer's Markings	
7.1	Producer's Markings	P(*)
7.2	Battery-Powered Ride-on Toys	N/A
8	Test methods	
8.5	Normal Use Testing	P
8.7.1	Drop Test	P
8.7.2	Tipover Test for Large, Bulky Toys	N/A
8.7.3	Tumble Test for Wheeled Toys	N/A
8.7.4	Impact Test for Toys that Cover the Face	N/A
8.8	Torque Tests for Removal of Components	P
8.9	Tension Test for Removed of Components	P
8.9.1	Tension Test for Seams in Stuffed Toys and Beanbag Type Toys	P
8.10	Compression Test	N/A
8.11	Tests for Tire Removal and Snap-in Wheel and Axle Assembly Removal	N/A
8.12	Flexure Test	N/A
8.13	Test for Mouth-Actuated Toys	N/A

Note: P = Pass N/A = Not Applicable

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co. Ltd.**

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China

Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)

Remark:

\*. Although no final packaging has been received, the manufacturer/trader/applicant has confirmed that the required information will be visibly, legibly and indelibly affixed to the toy or its packaging (as appropriate).

### **Material list**

Item 1	Animal hat(hippo)
Item 2	Animal hat(leopard)
Item 3	Animal hat(penguin)
Item 4	Animal hat(lion)

Testing material No.	Component	Material	Colour	Item No.
1	Main body of hat	Textile/plastic	Grey	1
2	Eyes	Plastic	White	1
3	Ears	Textile	Pink	1
4	Hat	Textile	White	1
5	Main body of hat	Textile/plastic	Black and white	2
6	Mouth	Textile/plastic	White	2
7	Nose	Textile/plastic	Brown	2
8	Nose	Textile/plastic	Black	2
9	Coating on eyes	Coating	Golden	2
10	Substrate of eyes	Plastic	Transparent	2
11	Reverse side of eyes	Plastic	Black	2
12	Mouth	Textile	Dull yellow	3
13	Horsehair	Plastic	Brown	4
14	Whiskers	Plastic	Black	4

### **ASTM F963-11 4.3.5.1(1), Total Lead Content in Paint and Similar Surface-coating Materials**

Test method	: CPSC-CH-E1003-09.1 The sample was digested with acid. Then the lead content was determined by Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES).
Limit	: 90 mg/kg – according to ASTM F963-11 Standard Consumer Safety Specification for Toy Safety.
Detection Limit	: 10 mg/kg

Test No.	Material No.	Test result (mg/kg)
Pb-1	9	N.D.

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co. Ltd.**

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China  
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)

**ASTM F963-11 4.3.5.2(2)(a). Total Lead Content in Accessible Component Parts**

Test method : CPSC-CH-E1002-08.3  
 The sample was digested with acid. Then the lead content was determined by Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES).

Limit : 100 mg/kg – according to ASTM F963-11 Standard Consumer Safety Specification for Toy Safety.

Detection Limit : 10 mg/kg

Test No.	Material No.	Test result (mg/kg)
Pb-2	1	N.D.
Pb-3	2	N.D.
Pb-4	3	N.D.
Pb-5	4	N.D.
Pb-6	5	N.D.
Pb-7	6	N.D.
Pb-8	7	N.D.
Pb-9	8	N.D.
Pb-10	10	N.D.
Pb-11	11	N.D.
Pb-12	12	N.D.
Pb-13	13	N.D.
Pb-14	14	N.D.

Note: - 1 mg/kg = 1 ppm = 0.0001%  
 - N.D. = Not Detected

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co. Ltd.**

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China  
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)

**ASTM F963-11 4.3.5.2(2)(b), Migration of Certain Elements in Accessible Component Parts**

Test method : As per ASTM F963-11, soluble toxic element contents are determined by Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES).

Detection limit : 2.5 mg/kg for each of the 8 soluble toxic elements

Test No.	Material No.	Testing element							
		As	Ba	Cd	Cr	Hg	Pb	Sb	Se
		Limit (mg/kg)							
		25	1000	75	60	60	90	60	500
Test result (mg/kg)									
No. 1	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3.5	N.D.
No. 2	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	13	N.D.
No. 3	13	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Note: - 1 mg/kg = 1 ppm = 0.0001%

- N.D. = Not Detected

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co. Ltd.**

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China

Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)



**Total Lead Content(CPSIA)**

Test method : CPSC-CH-E1002-08.3; CPSC-CH-E1003-09.1  
 The sample was digested with acid. Then the lead content was determined by Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES).

Limit For surface coating materials: 90 ppm  
 For non-surface coating (substrate): 100 ppm  
 - according to US Consumer Product Safety Improvement Act 2008 (CPSIA Sec.101).

Detection limit : 10 ppm

Test No.	Material No.	Test result (ppm)
Pb-1	9	N.D.
Pb-2	1	N.D.
Pb-3	2	N.D.
Pb-4	3	N.D.
Pb-5	4	N.D.
Pb-6	5	N.D.
Pb-7	6	N.D.
Pb-8	7	N.D.
Pb-9	8	N.D.
Pb-10	10	N.D.
Pb-11	11	N.D.
Pb-12	12	N.D.
Pb-13	13	N.D.
Pb-14	14	N.D.

Note: - 1 mg/kg = 1 ppm = 0.0001%  
 - N.D. = Not Detected


**Other Information / Remark:**

- According to the customer's requirement, the appointed material has been tested.

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co. Ltd.**

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China  
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)



\*\*\*END OF THE REPORT\*\*\*