

Date:

Apr 29, 2014

CSP INC Applicant:

8248 W.ORANGE DR GLENDALE,

AZ 85303 USA

WENDY Attn:

Sample Description:

One (1) piece of submitted sample said to be : Spring. Item Name K2-406. Item No. Applicant Specified Age Over 3 Years.

Grading for Testing Packaging Provided by Yes. Applicant Additional Material and Wet No.

Paint Provided

Buyer Kids' Korner.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager





Conclusion:

<u>Tested Samples</u> <u>Standard – U.S. ASTM F963-11</u> <u>Result</u>
Submitted sample Physical and mechanical tests Pass

Flammability test of materials other than textile materials Pass

Tested components of submitted sample

Heavy elements test Pass

Tested Samples
Tested components of submitted sample

Standard
U.S. Consumer Product Safety Improvement Act 2008
Title I, Section 101 for Total Lead content in Non-surface

coating materials (substrate)

Remark:

As requested by the applicant, Soluble heavy elements content test was conducted only on component listed in this report. Other components were not tested.

Authorized by:

For Intertek Testing Services Shenzhen Ltd.

Ben N.L. Lin General Manager Result

Pass



Tests Conducted

1 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-11.

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations :

<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Impact test	Section 1500.53(b)	4 x 3.0 ft
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

<u>Section</u>	Testing Items	<u>Assessment</u>
4.1	Material quality (visual check on cleanliness)	Р
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	NA
4.7	Accessible edges	Р
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords and elastics in toys	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices, such as helmets, hats and goggles	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA



Tests Conducted

Section	Testing Items	<u>Assessment</u>
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
5	Labelling requirement	Р
6	Instructional literature	Р
7	Producer's markings - Name of producer/distributor	Yes
	- Address	Yes

Remark:

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.18 and 8.20 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass NA = Not Applicable

Date sample received: Apr 11, 2014 & Apr 24, 2014 Testing period: Apr 11, 2014 to Apr 26, 2014

Flammability Test 2

As per section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined

Date sample received: Apr 11, 2014 Testing period: Apr 11, 2014 to Apr 16, 2014



Tests Conducted

3 Heavy Elements Analysis

As per Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, acid extraction method was used and heavy elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (ppm)	<u>Limit</u>
	<u>(1)</u>	<u>ppm</u>
Sol. Barium (Ba)	<5	1000
Sol. Lead (Pb)	<5	90
Sol. Cadmium (Cd)	<5	75
Sol. Antimony (Sb)	<5	60
Sol. Selenium (Se)	<5	500
Sol. Chromium (Cr)	<5	60
Sol. Mercury (Hg)	<5	60
Sol. Arsenic (As)	<2.5	25

Sol. = Soluble

ppm = parts per million

Tested Component: See component list in the last section of this report

Date sample received: Apr 11, 2014

Testing period : Apr 11, 2014 to Apr 14, 2014

4 Total Lead (Pb) Content

As per Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, test method CPSC-CH-E1001-08.1, CPSC-CH-E1002-08.1 or/and CPSC-CH-E1003-09.1 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Non-surface coating

Tested Component (1)to(3)	Result (ppm) <10	<u>Limit (ppm)</u> 100
(1)10(3)	<10	100

ppm = parts per million

Tested Components :See component list in the last section of this report

Date sample received : Apr 11, 2014

Testing period : Apr 11, 2014 to Apr 14, 2014





Tests Conducted

5 Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

As per Standard Operating Procedures for Determining total Lead (Pb) in children's products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component (1)to(3)

Result (ppm) <10 Limit (ppm) 100

ppm = parts per million

Tested components: See component list in the last section of this report

Date sample received: Apr 11, 2014

Testing period: Apr 11, 2014 to Apr 14, 2014

Component list:

Transparent yellow plastic with silver color glitter insert (body of all styles).

(2) Transparent pink plastic with silver color glitter insert (body of all styles).

(3) Transparent agua plastic with silver color glitter insert (body of all styles).

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.