

**CSP INC** Applicant: Date: May 16, 2015

8248 W.ORANGE DR GLENDALE, AZ 85303 USA

Attn: WENDY

Sample Description:

Eight (8) pieces of submitted sample said to be :

Glow-In-The-Dark Slime. Item Name

No.

Item No. K2-504. Applicant Specified Age Over 3 Years.

Grading for Testing Packaging Provided by Yes. Applicant Additional Material and Wet

Paint Provided

Buyer Kids' Korner.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager





Conclusion:

Tested Samples Standard - U.S. ASTM F963-11 Result Submitted samples Physical and mechanical tests Pass

> Flammability test of materials other than textile materials **Pass**

Tested components of Heavy elements test **Pass** 

submitted samples 

Tested Sample Standard Result Tested components of U.S. Consumer Product Safety Improvement Act 2008 Pass

submitted samples Title I, Section 101 for Total Lead content in Non-surface coating materials (substrate)

submitted samples U.S. Consumer Product Safety Improvement Act 2008 Not applicable

Title I. Section 101 for total Lead content in surface

coating

Tested components of US Consumer Product Safety Improvement Act 2008 Title Pass

I, Sec 108 requirement on phthalate submitted samples

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

### 1 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-11.

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations :

<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Impact test	Section 1500.53(b)	4 x 3.0 ft
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

Section	Testing Items	Assessment
4.1	Material quality (visual check on cleanliness)	Р
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	NA
4.7	Accessible edges	Р
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords and elastics in toys	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices, such as helmets, hats and goggles	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA





## **Tests Conducted**

Section	Testing Items	<u>Assessment</u>
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
5	Labelling requirement	Р
6	Instructional literature	Р
7	Producer's markings - Name of producer/distributor	No
	- Address	No

Remark: The submitted samples were undergone the tests in accordance with section 8.5 through section 8.18 and 8.20 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

> P = Pass NA = Not Applicable

The final product or its packaging must be marked with the name and address of the producer or distributor as specified in section 7.1 of U.S. ASTM F963-11.

### 2 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined



**Tests Conducted** 

### 3 Total Lead (Pb) Content

As per Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, test method CPSC-CH-E1001-08.1, CPSC-CH-E1002-08.1 or/and CPSC-CH-E1003-09.1 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Non-surface coating

Tested Component	Result (ppm)	<u>Limit (ppm)</u>
(1+2+3)	<10	100

ppm = parts per million

Tested Components: See component list in the last section of this report

Since no scrapable surface coating was found on the submitted samples, the testing scope

for surface coating was not applicable to the submitted samples.

# Heavy Elements Analysis (except modelling clay)

As per Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, acid extraction method was used and heavy elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (ppm) (1)to(3)	<u>Limit</u>
Sol. Barium (Ba)	<u>(1)(0(3)</u> <5	<u>ppm</u> 1000
Sol. Lead (Pb)	<5	90
Sol. Cadmium (Cd)	<5	75
Sol. Antimony (Sb)	<5	60
Sol. Selenium (Se)	<5	500
Sol. Chromium (Cr)	<5	60
Sol. Mercury (Hg)	<5	60
Sol. Arsenic (As)	<2.5	25

Sol. = Soluble

ppm = parts per million

Tested Components: See component list in the last section of this report





**Tests Conducted** 

### 5 Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

As per Standard Operating Procedures for Determining total Lead (Pb) in children's products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	<u>Limit (ppm)</u>
(1+2+3)	<10	100

ppm = parts per million = mg/kg

Tested components: See component list in the last section of this report

#### 6 Total Lead (Pb) Content in Surface Coating

As per Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Assessment: Since no scrapable surface coating was found on the submitted samples, the testing scope was not applicable to the submitted samples.

### 7 Phthalate Content

As per CPSC-CH-C1001-09.3, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	Result (%)	<u>Limit (%)</u>
Dibutyl phthalate (DBP) Di-(2-ethyl hexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP)	(1+2+3) <0.01 <0.01 <0.01	0.1 0.1 0.1
	Result (%) (1+2+3)	Limit (%)
Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DnOP)	<0.01 <0.01	0.1 0.1
Di-iso-decyl phthalate (DIDP)	<0.01	0.1

The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

Tested Components: See component list in the last section of this report





**Tests Conducted** 

Com	ponent	list:
-----	--------	-------

- Green gel.
- (2)Pink gel.
- Blue gel.

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.