

CSP INC Applicant: Date: May 25, 2015

8248 W. ORANGE DR GLENDALE, AZ 85303 USA

Attn: WENDY

Sample Description:
Three (3) pieces of submitted sample said to be :

Wood Blocks Game. Item Name

Item No. K6-507. Labelled Age Group Age 5 and up. Applicant Specified Age Over 3 Years.

Grading for Testing Packaging Provided by Yes.

Applicant

Additional Material and Wet Yes.

Paint Provided

Buyer Kids' Korner.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager





| Conclusion: <u>Tested Samples</u> Submitted samples | Standard – U.S. ASTM F963-11 Physical and mechanical tests | Result Pass |
|---|--|---------------------------------|
| | Flammability test of materials other than textile materials | Pass |
| Tested component of submitted samples | Heavy elements test | Pass |
| <u>Tested Samples</u> Submitted samples | Standard U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for total Lead content in surface coating | <u>Result</u> Not applicable |
| | U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for Total Lead content in Non-surface coating materials (substrate) | Not applicable |
| | U.S. CFR Title 16 Part 1303 total Lead content | Not applicable |

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

1 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-11.

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations :

| Test | <u>FHSA</u> | <u>Parameter</u> |
|------------------|--------------------|------------------|
| Impact test | Section 1500.53(b) | 4 x 3.0 ft |
| Torque test | Section 1500.53(e) | 4 in-lbf |
| Tension test | Section 1500.53(f) | 15 lbf |
| Compression test | Section 1500.53(g) | 30 lbf |

| Section | Testing Items | <u>Assessment</u> |
|---------|---|-------------------|
| 4.1 | Material quality (visual check on cleanliness) | Р |
| 4.5 | Sound-producing toys | NA |
| 4.61 | Toys intended for children under 36 months (small objects) | NA |
| 4.6.2 | Mouth-actuated toys | NA |
| 4.6.3 | Toys and games for 36 months to 72 months (small part warning) | Р |
| 4.7 | Accessible edges | NA |
| 4.8 | Projections | NA |
| 4.9 | Accessible points | Р |
| 4.10 | Wires or rods | NA |
| 4.11 | Nails and fasteners | NA |
| 4.12 | Plastic film | NA |
| 4.13 | Folding mechanisms and hinges | NA |
| 4.14 | Cords and elastics in toys | NA |
| 4.15 | Stability and over-load requirements | NA |
| 4.16 | Confined spaces | NA |
| 4.17 | Wheels, tires and axles | NA |
| 4.18 | Holes, clearance, and accessibility of mechanisms | NA |
| 4.19 | Simulated protective devices, such as helmets, hats and goggles | NA |
| 4.20 | Pacifiers | NA |
| 4.21 | Projectile toys | NA |
| 4.22 | Teethers and teething toys | NA |
| 4.23 | Rattles | NA |
| 4.24 | Squeeze toys | NA |
| 4.25 | Battery-operated toys | NA |
| 4.26 | Toys intended to be attached to a crib or playpen | NA |
| 4.27 | Stuffed and beanbag-type toys | NA |
| 4.28 | Stroller and carriage toys | NA |
| 4.29 | Art materials | NA |
| 4.30 | Toy gun marking | NA |
| 4.31 | Balloons | NA |
| 4.32 | Certain toys with nearly spherical ends | NA |
| 4.33 | Marbles | NA |
| 4.34 | Balls | NA |
| 4.35 | Pompoms | NA |
| 4.36 | Hemispheric-shaped objects | NA |
| 4.37 | Yoyo elastic tether toys | NA |
| 4.38 | Magnets | NA |
| 4.39 | Jaw entrapment in handles and steering wheels | NA |





Tests Conducted

| 5 | Labelling requirement | Р |
|---|--|-----|
| 6 | Instructional literature | Р |
| 7 | Producer's markings | Yes |
| | - Name of producer/distributor (Package) | |
| | - Address (Package) | Yes |

Remark:

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.18 and 8.20 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass NA = Not Applicable

The producer's/distributor's name/address was found on the packaging. However as specified in section 7.1 of U.S. ASTM F963-11, the final product or its packaging must also be marked with the address/name.

Date sample received: May 06, 2015 & May 22, 2015 Testing period: May 06, 2015 to May 22, 2015

2 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined,

Date sample received: May 06, 2015

Testing period: May 06, 2015 to May 11, 2015

3 Total Lead (Pb) Content

As per Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, test method CPSC-CH-E1001-08.1, CPSC-CH-E1002-08.1 or/and CPSC-CH-E1003-09.1 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Assessment: Since no scrapable surface coating was found on the submitted samples, the testing scope for surface coating was not applicable to the submitted samples.

All accessible substrate components were found to be within the exemption list under 16 CFR Part 1500.91 (d), no substrate test was conducted on the submitted sample.

Date sample received: May 06, 2015

Testing period: May 06, 2015 to May 09, 2015





Test Report SZHH00957682 Number:

Tests Conducted

4 Heavy Elements Analysis (except modelling clay)

As per Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, acid extraction method was used and heavy elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

| | Result (ppm) | <u>Limit</u> |
|--------------------|--------------|--------------|
| | <u>(1)</u> | <u>ppm</u> |
| Sol. Barium (Ba) | <5 | 1000 |
| Sol. Lead (Pb) | <5 | 90 |
| Sol. Cadmium (Cd) | <5 | 75 |
| Sol. Antimony (Sb) | <5 | 60 |
| Sol. Selenium (Se) | <5 | 500 |
| Sol. Chromium (Cr) | <5 | 60 |
| Sol. Mercury (Hg) | <5 | 60 |
| Sol. Arsenić (As) | <2.5 | 25 |

Sol. = Soluble

ppm = parts per million

Tested Component: Beige wood (block).

Date sample received: May 06, 2015

Testing period: May 06, 2015 to May 09, 2015

5 Total Lead (Pb) Content in Surface Coating

As per Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Assessment: Since no scrapable surface coating was found on the submitted sample(s), the testing scope

was not applicable to the submitted sample(s).

Date sample received: May 06, 2015

Testing period: May 06, 2015 to May 09, 2015

Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate) 6

As per Standard Operating Procedures for Determining total Lead (Pb) in children's products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Assessment: All accessible components were found to be within the exemption list under 16 CFR 1500.91 (d), no test was conducted on the submitted sample.

Date sample received: May 06, 2015

Testing period: May 06, 2015 to May 09, 2015

Page 5 of 6



Tests Conducted

7 Total Lead (Pb) Content

As per U.S. Code of Federal Regulations Title 16 Part 1303, acid digestion method per ASTM E1613-04 / E1645-01 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Assessment: Since no scrapable surface coating was found on the submitted sample(s), the testing scope

of 16 CFR 1303 was not applicable to the submitted sample(s).

Date sample received: May 06, 2015

Testing period: May 06, 2015 to May 09, 2015

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.