

# TEST REPORT

**APPLICANT** : CSP INC  
**ADDRESS** : 8248 W. ORANGE DR GLENDALE, AZ 85303 USA  
**SAMPLE DESCRIPTION** : GLITTER TATTOO  
**STYLE / ITEM NO.** : K3-602  
**BUYER** : KIDS' KORNER  
**AGE REQUESTED ON APPLICATION FORM** : 3+  
**SAMPLE RECEIVED DATE** : MAY 05, 2016  
**TEST PERIOD** : MAY 06, 2016 TO MAY 09, 2016  
**RESULT SUMMARY** :

TEST(S) REQUESTED BY APPLICANT:	RESULT
- Total Lead Content in accordance with ASTM F963-11 Standard Consumer Safety Specification for Toy Safety	PASS
- Total Lead Content according to US Consumer Product Safety Improvement Act 2008 (CPSIA).	PASS
- Total Lead Content with reference to customer's requirement with regard to California Proposition 65.	PASS

\*\*\*\*\*FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)\*\*\*\*\*

SIGNED FOR AND ON BEHALF OF  
EUROFINS TESTING TECHNOLOGY (SHENZHEN) CO. LTD.



Harry Chen  
Assistant Lab Manager



Coco Luo  
Assistant Lab Manager



This test report is valid for the tested samples only. Without permission of the test center this test report is not permitted to be duplicated in extracts.  
This test report does not entitle to carry any safety mark on this or similar products.

**Material list**

Testing material No.	Component	Material	Colour
1	Glitter tattoo	Coating	Golden
2	Glitter tattoo	Plastic	Silvery
3	Film	Plastic	Transparent

**ASTM F963-11 4.3.5.1(1), Total Lead Content in Paint and Similar Surface-coating Materials**

Test method : CPSC-CH-E1003-09.1  
 The sample was digested with acid. Then the lead content was determined by Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES).

Limit : 90 mg/kg – according to ASTM F963-11 Standard Consumer Safety Specification for Toy Safety.

Detection Limit : 10 mg/kg

Test No.	Material No.	Test result (mg/kg)
Pb-1	1	N.D.

Note: - 1 mg/kg = 1 ppm = 0.0001%  
 - N.D. = Not Detected

**ASTM F963-11 4.3.5.2(2)(a), Total Lead Content in Accessible Component Parts**

Test method : CPSC-CH-E1002-08.3  
 The sample was digested with acid. Then the lead content was determined by Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES).

Limit : 100 mg/kg – according to ASTM F963-11 Standard Consumer Safety Specification for Toy Safety.

Detection Limit : 10 mg/kg

Test No.	Material No.	Test result (mg/kg)
Pb-2	2	N.D.
Pb-3	3	N.D.

Note: - 1 mg/kg = 1 ppm = 0.0001%  
 - N.D. = Not Detected

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co. Ltd.**

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China  
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)

**Total Lead Content (CPSIA)**

Test method : CPSC-CH-E1002-08.3; CPSC-CH-E1003-09.1  
 The sample was digested with acid. Then the lead content was determined by Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES).

Limit : For surface coating materials: 90 mg/kg  
 For non-surface coating (substrate): 100 mg/kg  
 - according to US Consumer Product Safety Improvement Act 2008 (CPSIA Sec.101).

Detection limit : 10 ppm

Test No.	Material No.	Test result (mg/kg)
Pb-1	1	N.D.
Pb-2	2	N.D.
Pb-3	3	N.D.

Note: - 1 mg/kg = 1 ppm = 0.0001%  
 - N.D. = Not Detected

**Total Lead Content (California Proposition 65)**

Test method : CPSC-CH-E1002-08.3; CPSC-CH-E1003-09.1  
 The sample was digested with acid. Then the lead content was determined by Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES).

Limit : For surface coating materials: 90 ppm  
 For non-surface coating (substrate): 100 ppm  
 - with reference to customer's requirement with regard to California Proposition 65.

Detection limit : 10 ppm

Test No.	Material No.	Test result (ppm)
Pb-1	1	N.D.
Pb-2	2	N.D.
Pb-3	3	N.D.

Note: - 1 mg/kg = 1 ppm = 0.0001%  
 - N.D. = Not Detected

**Other Information / Remark:**

According to the customer's requirement, the appointed materials have been tested.

\*\*\*TO BE CONTINUED\*\*\*

**Eurofins Testing Technology (Shenzhen) Co. Ltd.**

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China  
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: [www.eurofins.com](http://www.eurofins.com) / [www.pt.eurofins.com](http://www.pt.eurofins.com)

**Photo Attachment**

**GLITTER TATTOO**



\*\*\*END OF THE REPORT\*\*\*