

TEST REPORT

APPLICANT : CSP INC
ADDRESS : 8248 W. ORANGE DR GLENDALE, AZ 85303 USA
SAMPLE DESCRIPTION : HOT COLOR LIPSTICK
STYLE / ITEM NO. : K4-614
BUYER : KIDS' KORNER
AGE REQUESTED ON APPLICATION FORM : 3+
SAMPLE RECEIVED DATE : MAY 06, 2016; JUN. 12, 2016
TEST PERIOD : MAY 06, 2016 TO MAY 18, 2016
 JUN. 13, 2016 TO JUN. 15, 2016
RESULT SUMMARY :

TEST REQUESTED	RESULT
- Total Lead Content according to US Consumer Product Safety Improvement Act 2008 (CPSIA).	PASS
- Total Lead Content according to US California Proposition 65, Alameda Superior Court, 01-032306, RG 07321854 and H217587.	PASS
- Mercury compounds in cosmetics according to US FDA 21 CFR 700.13	PASS
- As specified by client, to determine the microbial tests in the submitted sample.	Please refer to next page(s).

*****FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)*****

SIGNED FOR AND ON BEHALF OF
EUROFINS TESTING TECHNOLOGY (SHENZHEN) CO. LTD.



Harry Chen
Assistant Lab Manager



Coco Luo
Assistant Lab Manager



This test report is valid for the tested samples only. Without permission of the test center this test report is not permitted to be duplicated in extracts.
This test report does not entitle to carry any safety mark on this or similar products.

Material list

Testing material No.	Component	Material	Colour
1	Hull of lipstick	Plastic	Transparent
2	Holder of lipstick	Plastic/coating	Red/black
3	Holder of lipstick	Plastic/coating	Pink/black
4	Lipstick	Gel	Red
5	Lipstick	Gel	Pink
6	Holder of lipstick	Plastic/coating	Purple/black
7	Lipstick	Gel	Purple

Total Lead Content (CPSIA)

Test method : CPSC-CH-E1002-08.3
 The sample was digested with acid. Then the lead content was determined by Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES).

Limit : For non-surface coating (substrate): 100 ppm
 - according to US Consumer Product Safety Improvement Act 2008 (CPSIA Sec.101).

Detection limit : 10 ppm

Test No.	Material No.	Test result (ppm)
Pb-1	1	N.D.
Pb-2	2	N.D.
Pb-3	3	N.D.
Pb-4	4	N.D.
Pb-5	5	N.D.
Pb-6	6	N.D.
Pb-7	7	N.D.

Note: - 1 mg/kg = 1 ppm = 0.0001%
 - N.D. = Not Detected

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Total Lead Content (California Proposition 65)

Test method : CPSC-CH-E1002-08.3
 The sample was digested with acid. Then the lead content was determined by Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES).

Limit : 0.35 ppm - according to US California Proposition 65, Alameda Superior Court, 01-032306, RG 07321854 and H217587.

Detection limit : 0.1 ppm

Test No.	Material No.	Test result (ppm)
Pb-1	4	N.D.
Pb-2	5	N.D.
Pb-3	7	N.D.

Note: - 1 mg/kg = 1 ppm = 0.0001%
 - N.D. = Not Detected

Mercury compounds in cosmetics (US FDA 21 CFR 700.13)

Test method : EPA 3052:1996; EPA 6020A:2007.

Limit : 1 mg/kg - according to US FDA 21 CFR 700.13

Detection Limit : 0.1 mg/kg

Test No.	Material No.	Test result (mg/kg)
Hg-1	4	N.D.

Note: - 1 mg/kg = 1 ppm = 0.0001%
 - N.D. = Not Detected

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Microbiological Assessment ^(#3)

Test method : United States Pharmacopeia(USP32-NF27), Microbiological Tests:<61>-Microbiological examination of nonsterile products: Microbial enumeration tests, and Microbiological Tests:<62>-Microbiological examination of nonsterile products: tests for specified microorganisms.

Test result :

Test material No.	4			
Analyzing Items	Test Result	Recommended Limit ^{#1}	Unit	Conclusion ^{#2}
Total aerobic microbial count(TAMC)	<10	/	CFU/g	/
Total combined yeasts and mould count(TYMC)	<10	/	CFU/g	/
TAMC+TYMC	<10	≤5000	CFU/g	Pass
Bile-tolerant gram-negative bacteria	Absent	Absent	/g	Pass
Escherichia coli	Absent	Absent	/g	Pass
Salmonella	Absent	Absent	/10g	Pass
Pseudomonas aeruginosa	Absent	Absent	/g	Pass
Staphylococcus aureus	Absent	Absent	/g	Pass
Clostridia	Absent	Absent	/g	Pass
Candida albicans	Absent	Absent	/g	Pass

Notes: 1. #1=Recommended Limit:

CTFA(U.S. Cosmetic, Toiletry and Fragrance Association) recommends the reporting of Total aerobic microbial count and Total combined molds and yeast count as the Total viable count.

2. #2=Conclusion are based on the recommended limit

3. #3=The result was subcontracted to lab: C014.


TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Other Information / Remark:

- (1) According to the customer's requirement, the appointed material has been tested.
- (2) Replacement of report (No: EFSN16050528C-C). Upon receipt of this report, the previous report (No: EFSN16050528C-C) will be invalid immediately.



END OF THE REPORT