

Test Report

Report No.: CTT170530248EN

Date: May. 12, 2017

Page 1 of 8

Applicant: CSP INC


Address: 8248 W. ORANGE DR GLENDALE,AZ 85303 USA

The following merchandise was (were) submitted and identified by Applicant as:

Sample Name:	MIRROR DANGLE		
Model No.:	4-713		
Buyer:	Kids' Korner		
Packaging Provided:	No		
Labelled Age Group:	--	Tested Age Grading:	3+
Appropriate Age Grading:	3+	Applicant's Specified Testing Age Group:	3+
Sample Received Date:	May. 09, 2017		
Test Period:	May. 09, 2017 to May. 12, 2017		

Test Result(s): Please refer to next page(s).

Signed for and on Behalf of CTT



Yuhu / Lab supervisor

Consumer Testing Technology Co., Ltd.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Requested and Conclusion(s):

No.	Test Sample	Standard and Requirement	Conclusion(s)
1	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - Total Lead (Pb) in accessible substrate materials	PASS
2	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - Total Lead (Pb) in paint or surface coating	PASS
3	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - Phthalates	PASS
4	Tested materials of submitted samples	ASTM F963-16 Section 4.3.5.2 - Soluble Heavy Metals content in substrate material	PASS
5	Submitted sample	ASTM F963-16 - Physical and Mechanical Properties (Excluding Section 5.16, 6.1,7.1)	PASS
6	Submitted sample	ASTM F963-16 - Flammability	PASS

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Result(s):

The Lead content of accessible substrate materials - CPSIA

Method:

Metal - CPSC-CH-E1001-08.3

Nonmetal - CPSC-CH-E1002-08.3

Analyzed by Atomic Absorption Spectroscopy (AAS) or Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES).

Material No.	Limit (mg/kg)	Result (mg/kg)	Conclusion
1	100	N.D.	PASS
3	100	N.D.	PASS

The Lead content of paint or surface coating - CPSIA

Method: CPSC-CH-E1003-09.1, analyzed by Atomic Absorption Spectroscopy (AAS) or Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES).

Material No.	Limit (mg/kg)	Result (mg/kg)	Conclusion
4	90	N.D.	PASS
5	90	N.D.	PASS
6	90	13	PASS
7	90	12	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 10 mg/kg.

Phthalates - CPSIA

Method: CPSC-CH-C1001-09.3, analyzed by Gas Chromatograph-Mass Spectrometry (GC-MS).

Substances	DBP	BBP	DEHP	DINP	DNOP	DIDP	Conclusion
CAS No.	84-74-2	85-68-7	117-81-7	28553-12-0	117-84-0	26761-40-0	
Limit (mg/kg)	1000	1000	1000	1000	1000	1000	
RL (mg/kg)	30	30	30	50	30	50	
Material No.	Result (mg/kg)						PASS
1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



3. RL = Reporting Limit.
4. Children's toys and child care articles shall not more than 1000 mg/kg DBP, BBP or DEHP.
 - Children's toys defined as 12 years and under.
 - Child care articles to facilitate sleep or feeding of children 3 years and under, or to help children with sucking and teething.
5. Children's toy that can be placed in the mouth and child care articles shall not more than 1000 mg/kg DINP, DNOP or DIDP.
 - Toys that can be kept in the mouth by a child so that it can be sucked or chewed.
 - Toys or part of toy with one dimension less than 5 cm.

Soluble Heavy Metals content in substrate material - ASTM F963-16 Section 4.3.5.2 ⁿ

Method: ASTM F963-16 Section 8.3.2 to Section 8.3.5, analyzed by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES).

Elements	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Conclusion
Limit (mg/kg)	25	1000	75	60	60	90	60	500	
RL (mg/kg)	2.5	5	5	5	5	5	5	5	
Material No.	Result (mg/kg)								PASS
2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL = Reporting Limit.

Test Material List:

The following materials apply only to the samples submitted for chemical testing

Material No.	Description	Location	Remark
1	Transparent plastic	Acetabulum	--
2	Yellow synthetic fiber	Toy body	--
3	White foam	Inside of toy	--
4	Red paint	Coating of toy	--
5	Blue paint	Coating of toy	--
6	White paint	Coating of toy	--
7	Black paint	Coating of toy	--

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Result(s):

Mechanical and Physical Properties - ASTM F963-16^s

Section	Testing Items	Assessment
		Toy/toy body
4	Safety requirements	PASS
4.1	Material quality	PASS
4.3.7	Stuffing materials	PASS
4.4	Electrical/thermal energy	NA
4.5	Sound producing toys	NA
4.6	Small objects	NA
4.6.1	Toys intended for children under 36 months of age	NA
4.6.2	Mouth actuated toys	NA
4.7	Accessible edges	PASS
4.8	Projections	NA
4.9	Accessible points	PASS
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords and elastics in toys	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	PASS

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.32	Certain toys with nearly spherical ends	NA
4.34	Balls	NA
4.34.1	Toy intended for children under 36 months of age	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labeling Requirement	NR*
5.4	Aquatic toys	NA
5.5	Crib and playpen toys	NA
5.6	Mobiles	NA
5.7	Stroller and carriage toys	NA
5.8	Toys intended to be assembled by an adult	NA
5.9	Simulated protective devices	NA
5.10	Toys with functional sharp edges or points	NA
5.11	Small objects, small balls, marbles, and balloons	NA
5.12	Toy caps	NA
5.13	Art materials	NA
5.14	Electric toys	NA
5.15	Battery operated toys	NA
5.16	Promotional materials	NR*
5.17	Magnets	NA
6	Instructional Literature	NA
6.1	Definition and description	NR*
6.2	Crib and playpen toys	NR*
6.3	Mobiles	NA
6.4	Toys intended to be assembled by an adult	NA

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



6.5	Battery operated toys	NA
6.6	Battery powered ride-on toys	NA
6.7	Toys in contact with food	NA
6.8	Toy chests	NA
7	Producer's Marking	
7.1	Name of the producer or the distributor	NR*
	Address of the producer or the distributor	NR*
7.2	Battery powered ride on toys	NA
7.3	Toy chests	NA

- Note:**
1. NA = Not Applicable
 2. NR =Not Requested
 3. "***" = Per client's requirement, the packaging was not evaluated.
 4. The name and address of the producer or the distributor shall be marked on the toy or the package.

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

Testing Items	FHSA	Parameter
	Toy	
Drop Test	Section 1500.53(b)	4x3.0 ft
Torque Test	Section 1500.53(e)	4.0 inch ·lbf
Tension Test	Section 1500.53(f)	15 lbf

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor . This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Result(s):

Flammability - ASTM F963-16 Annex A5 ^s

Sample Description	Ignition Location	Burn Length (inch)	Burn Time (sec.)	Burn Rate (inch/sec.)	Limit (inch/sec.)	Conclusion
Toy/toy body	Edge	5.5	43	0.13	0.15	PASS*

- Note:**
1. All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.
 2. The burn rate of all samples is greater than 0.1 in. /s (2.5 mm/s) but less than 0.15 in. /s (3.75 mm/s), accept and consider further investigation for action to improve performance.

Remark:

CTT Co., Ltd. is the US Consumer Product Safety Commission (CPSC) Accredited Third Party Testing Laboratory, identification number is 1362, and shall refer to <http://www.cpsc.gov/cgi-bin/labsearch/>.

Photo of Sample:



End of Report

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

